| | Application No. | Applicant(s) |
|--|---|---|
| Notice of Allowability | 09/782,172 | REID ET AL. |
| | Examiner | Art Unit |
| | Mohammad A Siddigi | 2154 |
| | Mohammad A. Siddiqi | 2154 |
| The MAILING DATE of this communication apperature All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.313 | (OR REMAINS) CLOSED in this ap or other appropriate communication IGHTS. This application is subject to | plication. If not included new will be mailed in due course. THIS |
| 1. This communication is responsive to <u>11/09/2005</u> . | | |
| 2. X The allowed claim(s) is/are <u>31-33,37-38,42-44,48-49</u> . | | |
| 3. Acknowledgment is made of a claim for foreign priority ure a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority do | be been received. be been received in Application No | |
| International Bureau (PCT Rule 17.2(a)). | | |
| * Certified copies not received: | | |
| Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. | | |
| 4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. | | |
| 5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. | | |
| (a) 🔲 including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached | | |
| 1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date | | |
| (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date | | |
| Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). | | |
| 6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. | | |
| | | |
| Attachment(s) 1. ☐ Notice of References Cited (PTO-892) | 5 Notice of Informal F | Patent Application (PTO-152) |
| Notice of Preferences Cited (170-032) Notice of Draftperson's Patent Drawing Review (PTO-948) | 6. ☐ Interview Summary | |
| | Paper No./Mail Da | te |
| Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 03/07/05, 11/09/05 | 08), 7. ⊠ Examiner's Amendi | ment/Comment |
| 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material | 8. ☐ Examiner's Stateme | ent of Reasons for Allowance |
| JOHN FOLLANSBEE SUPERVISORY PATENT EXAMINER TELTINGLOGY CENTER 2100 | | |

Art Unit: 2154

DETAILED ACTION

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Pejman Sharifi on 03/03/2006.

2. Please amend the claims as attached.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Mohammad A. Siddiqi whose telephone number is (571) 272-3976. The examiner can normally be reached on Monday -Thursday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, John A. Follansbee can be

Art Unit: 2154

Page 3

reached on (571) 272-3964. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

MAS

OHN FOLLANSBEE RYISORY PATENT EXAMINER C(INOLOGY CENTER 2100 Application/Control Number: 09/782,172 Page 4

Art Unit: 2154

IN THE CLAIMS:

Please amend the claims as follows:

30. (Cancelled)

31. (Currently Amended) The system of claim [[30]] <u>37</u> wherein:

the at least one data stream includes a first data stream and a second data stream, the first and second data streams containing substantially the same content, the first data stream is [[being]] a first sequence of audio samples and the second data stream being a second sequence of audio samples created at the first computer from the first sequence of audio samples, the content rate of the second sequence of audio samples when delivered at a first data rate being greater than the content rate of the first sequence of audio samples when delivered at the first data rate;

- the at least one data stream sent in response to the first request includes the first data stream;
- the at least one data stream sent in response to the second request includes the second data stream; and
- the executable instruction code in an electronically readable medium is also for at least creating the second data stream from the first data stream.
- 32. (Currently Amended) The system of claim [[30]] <u>37</u> wherein the at least one <u>first</u> data stream includes a first sequence of video frames.
- 33. (Currently Amended) The system of claim [[30]] 37 wherein the at least one first data stream includes a first sequence of commands for

Art Unit: 2154

directing the second computer to retrieve and present a sequence of slides.

34. (Cancelled)

35. (Cancelled)

36. (Cancelled)

37. (Currently Amended) A method of streaming a first data stream of a live event in a first and second_streaming modes supported at a first computer connected to a first side of a wide area network from the first computer to a second computer connected to a second side of the wide area network, the second computer having a media player program for presenting content of the <u>first</u> data stream to a user at the second computer, a first mode of the media player program not changing in response to a change from the first of the streaming modes to the second of the streaming modes, the method comprising:

the first computer sending executable instruction code to the second computer for invoking the first mode of the media player program and for presenting an on-screen interface allowing a user at the second computer to request in successive fashion at least the first and the second of the plurality of streaming modes supported at the first computer;

in response to a request received at the first computer from a user at the second computer during the live event to change from the first of the plurality of streaming modes to the second of the plurality of streaming modes, associating time stamp values with data units of the first data stream such that the media player program at the

Page 6

Art Unit: 2154

second computer will present content of the first data stream in a manner providing the user at the second computer an experience of a mode change while the media player program remains in the first mode of the media player program, wherein the first mode of the media player program is a mode for playing content at a first content rate, the first mode of the streaming modes is a mode for playing content at the first content rate, and the second mode of the streaming modes is a mode for playing content at a second content rate, the second content rate being faster than the first content rate, and wherein when streaming in the second of the plurality of modes, time stamps of data units sent to the second computer are adjusted such that a time value difference between the time stamps of a first data unit and a second data unit is less than the time value difference between the time stamps originally applied to the first data unit and the second data unit so that the media player program, while remaining in a mode for playing content at the first content rate, plays content at the second content rate; and

wherein one of the streaming mode is a live streaming mode for presenting live content of the live event and the other one of the streaming mode is a non-live streaming mode for presenting content of the live event that is less recent than the live content, and wherein the first mode of the media player transitions from the non-live streaming mode to the live streaming mode when the time stamp value of the data units of the non-live streaming mode catches up to the time stamp values of the live streaming mode.

38. (Currently Amended) The method of claim 37 wherein the first mode of the media player is a mode for playing in sequence data units

ŧ.

Art Unit: 2154

having successively increasing time stamp values, the first mode of the streaming modes is [[a]] the live streaming mode, the second mode of the streaming modes is [[a]] the non-live streaming mode having a first identifiable difference between an originally applied time stamp of a data unit to be next delivered from the first computer to the second computer and a time stamp corresponding to real time wherein the time stamp value[[s]] of the data unit[[s]] to be next delivered is [[are]] changed from the originally applied time stamp to the time stamp corresponding to real time such that the second computer continues to receive data units that have successively increasing time stamp values when a mode change from the first of the streaming modes to the second of the streaming modes occurs.

- 39. (Cancelled)
- 40. (Cancelled)
- 41. (Cancelled).

42. (Currently Amended) The method of claim [[41]] 48 wherein:

the at least one data stream includes a first data stream and a second data stream, the first and second data streams containing substantially the same content, the first data stream is [[being]] a first sequence of audio samples and the second data stream being a second sequence of audio samples created at the first computer from the first sequence of audio samples, the content rate of the second sequence of audio samples when delivered at a first data rate being greater than the content rate of the first sequence of audio samples when delivered at the first data rate;

Art Unit: 2154

the at least one data stream sent in response to the first request includes the first data stream;

the at least one data stream sent in response to the second request includes the second data stream; and

the executable instruction code in an electronically readable medium is also for at least creating the second data stream from the first data stream.

- 43. (Currently Amended) The method of claim [[30]] <u>48</u> wherein the <u>at least one</u> first data stream includes a first sequence of video frames.
- 44. (Currently Amended) The method of claim [[41]] <u>48</u> wherein the <u>at least one first</u> data stream includes a first sequence of commands for directing the second computer to retrieve and present a sequence of slides.
- 45. (Cancelled)
- 46. (Cancelled)
- 47. (Cancelled).
- 48. (Currently Amended) A system for streaming a first data stream of a live event in a first and second_streaming modes supported at a first computer connected to a first side of a wide area network from the first computer to a second computer connected to a second side of the wide area network, the second computer having a media player program for presenting content of the <u>first_data</u> stream to a user at

Art Unit: 2154

the second computer, a first mode of the media player program not changing in response to a change from the first of the streaming modes to the second of the streaming modes, the system comprising:

the first computer configured to send executable instruction code to the second computer for invoking the first mode of the media player program and for presenting an on-screen interface allowing a user at the second computer to request in successive fashion at least the first and the second of the plurality of streaming modes supported at the first computer; and

the second computer that is configured to send a request from a user to the first computer during the live event in response to which the first computer is to change from the first of the plurality of streaming modes to the second of the plurality of streaming modes, and is further configured to use time stamp values associated with data units of the first data stream such that the media player program at the second computer will present content of the first data stream in a manner providing the user at the second computer an experience of a mode change while the media player program remains in the first mode of the media player program, wherein the first mode of the media player program is a mode for playing content at a first content rate, the first mode of the streaming modes is a mode for playing content at the first content rate, and the second mode of the streaming modes is a mode for playing content at a second content rate, the second content rate being faster than the first content rate, <u>and</u>

wherein when streaming in the second of the plurality of modes, time stamps of data units sent to the second computer are adjusted such that a time value difference between the time stamps of a first data unit and a second data unit is less than the time value difference

Art Unit: 2154

between the time stamps originally applied to the first data unit and the second data unit so that the media player program, while remaining in a mode for playing content at the first content rate, plays content at the second content rate; and

wherein one of the streaming mode is <u>a live streaming mode</u> for presenting live content of the live event and the other one of the streaming mode is <u>a non-live streaming mode</u> for presenting content of the live event that is less recent than the live content, <u>and the first mode of the media player transitions from the non-live streaming mode to the live streaming mode when the time stamp value of the data units of the non-live streaming mode catches up to the time stamp values of the live streaming mode.</u>

49. (Currently Amended) The system of claim 48 wherein the first mode of the media player is a mode for playing in sequence data units having successively increasing time stamp values, the first mode of the streaming modes is [[a]] the live streaming mode, the second mode of the streaming modes is [[a]] the non-live streaming mode having a first identifiable difference between an originally applied time stamp of a data unit to be next delivered from the first computer to the second computer and a time stamp corresponding to real time wherein the time stamp value[[s]] of the data unit[[s]] to be next delivered is [[are]] changed from the originally applied time stamp to the time stamp corresponding to real time such that the second computer continues to receive data units that have successively increasing time stamp values when a mode change from the first of the streaming modes to the second of the streaming modes occurs.

50. (Cancelled).

Page 11

Art Unit: 2154

51. (Cancelled).